INTERFACE PLUS

Benefits:

82045-G08-GA330

Description: Flock lined nitrile gloves, 18 mil.

Features & * Nitrile rubber for better chemical resistance

* Outstanding abrasion resistance

* Anti-slip pattern for good grip in wet and dry conditions

* Extra thick for added protection

* Straight cuff

* Compliant with (EC) No.1935/2004, EU 10/2011 & BFR XXI (Green)

* Manufactured under a stringent quality management system

Applications: Aircraft Industry, Automotive Industry, Chemical Industry, Petrochemical Industry

Elastomer: Nitrile rubber
Thickness: 0.45 +/- 0.05 mm
Lining: Flocklined

Former: Reverse Lozenge, CVIL Exterior: Finished smooth

Cuff Types: Straight
Treatments: Chlorinated

Colours: Blue B14, Green G8

AQL - Critical: 1.5 Major: 4

CE Certification: Conforms to PPE Regulation EU 2016/425 to(Complex Design) Personal Protective Equipment after assessment

against standards EN 374-1:2016+A1:2018, EN 388:2016+A1:2018, EN 374-5: 2016, EN ISO 21420:2020 and

Tol. +/- 10 mm

ISO 18889:2019

Conforms to:

| Physical | Size | Palm | Wrist | Cuff | Length |
|-------------|------|------|-------|------|--------|
| Dimensions: | 7 | 214 | 206 | 296 | 330 |
| | 8 | 220 | 218 | 302 | 330 |
| | 9 | 244 | 234 | 310 | 330 |
| | 10 | 268 | 256 | 326 | 330 |
| | 11 | 278 | 268 | 330 | 330 |

Shelf Life 5 Years

EN 374-4

| Protection against Chemical hazards | | Performance | Degradation % |
|-------------------------------------|------------------------------|-------------|---------------|
| EN ISO 374-1/TYPE A | | | |
| (,) | * Methanol (A) | Level 2 | 70.1 |
| | * Toluene (F) | Level 1 | 81.8 |
| | * n-Heptane (J) | Level 6 | 0 |
| | * Sodium hydroxide 40% (K) | Level 6 | 4.5 |
| AJKLMNOPT | * Sulphuric acid 96% (L) | Level 3 | 61.9 |
| | * Nitric acid 65% (M) | Level 2 | 98.7 |
| | * Acetic acid 99% (N) | Level 3 | 91.9 |
| | * Ammonium hydroxide 25% (O) | Level 6 | -5.8 |
| | * Hydrogen peroxide 30% (P) | Level 6 | -11.7 |
| | * Formaldehyde 37% (T) | Level 6 | -15.6 |
| | | | |

Circumference in mm, +/- 10 mm

Note: Printed copies are valid only on the date printed

Printed Date: 01-Dec-2023

Published Date: 01-Dec-2023

No: 400, Deans Road, Colombo 10, Sri Lanka Phone: +94-0122-683-964 Fax: +94-0122-699-018

E-Mail: postmast@dplgroup.com



Revision:8

INTERFACE PLUS

82045-G08-GA330

Protection against Mechanical hazards

EN 388



- * Abrasion resistance
- * Blade cut resistance
- * Tear resistance
- * Puncture resistance
- * TDM cut resistance

Level 4

Performance

- Level 1
- Level 0
- Level 1 X

Protection against Micro-organisms risk

EN ISO 374-5



* Protection against bacteria and fungi

* Protection against viruses

Performance Pass

Pass

Performance

Protection against liquid pesticides

ISO 18889:2019



* G2

Note: Printed copies are valid only on the date printed

Printed Date: 01-Dec-2023

Handling you with care

Revision:8
Published Date: 01-Dec-2023

No: 400, Deans Road, Colombo 10, Sri Lanka Phone: +94-0122-683-964 Fax: +94-0122-699-018

E-Mail: postmast@dplgroup.com